



GRDC

GRAINS RESEARCH
& DEVELOPMENT
CORPORATION

2024 QUARANTINE REPORT



VICTORIA

Contents

Important information for quarantined trials	3
Quarantined trials list	4
Table 1: 2024 Victorian quarantined trials.	4
2024 quarantine report Victorian wheat.	5
Table 2: Main season wheat trial yield data	5
Table 3: Early season wheat trial yield data.	7
Table 4: Long season wheat trial yield data.	9
2024 quarantine report Victorian barley.	10
Table 5: Barley main season trial yield data.	10
Table 6: Barley long season trial yield data.	12
2024 quarantine report Victorian canola.	13
Table 7: Low-medium rainfall glyphosate tolerant trial yield data.	13
Table 8: Low-medium rainfall imidazolinone tolerant trial yield data.	14
Table 9: Low-medium rainfall triazine tolerant trial yield data.	15
2024 quarantine report Victorian chickpea.	16
Table 10: Desi chickpea trial yield data.	16
Table 11: Kabuli chickpea trial yield data.	17
2024 quarantine report Victorian faba bean.	18
Table 12: Faba bean trial yield data.	18
2024 quarantine report Victorian field pea.	19
Table 13: Field pea trial yield data.	19
2024 quarantine report Victorian lentil.	20
Table 14: Lentil trial yield data.	20
2024 quarantine report Victorian lupin.	21
Table 15: Lupin trial yield data.	21

DO NOT REPRODUCE, REPLICATE OR COPY

Important information for quarantined trials

To ensure the NVT results remain robust, relevant and of the highest quality, it is agreed policy to exclude trials that have been compromised by events that affect the accuracy of the results from being reported at the single site level. The damage caused by frost, wind, hail, drought and other events is random, uncontrollable, unpredictable and extremely variable in both timing and severity of the damage caused. Therefore, variety tolerances to frost and many other random climatic events cannot be measured or gauged in field-based NVT.

When uncontrolled events occur that are not uniform in their impact, the results are skewed and no longer representative of varietal performance. In these scenarios, the results are quarantined to avoid skewing the overall NVT results.

****WARNING****

Results presented within this report provide growers with a transparent account of NVT trials that were severely compromised by various factors rendering them unsuitable for inclusion in reporting. These trials were harvested, but the results were deemed of no value for the purposes of head-to-head variety comparison and should not be used for any variety selection decisions.

Replication of these results is strictly prohibited, and ANY parties MUST NOT use them for producing variety brochures and marketing material, sowing guides, grower notes or ANY OTHER publication or communication activity.

Cover: NVT Barley.

Photo: Ben O'Connor NVT Systems Manager

Quarantined trials list

Table 1: 2024 Victorian quarantined trials.

Site description	Crop	Trial code	Sowing date	Harvest date	Mean yield	CV value	P value	F value
Hopetoun	Wheat	WMaA24HOPE3	30-May	22-Nov	2.29	8.63	<0.001	5.36
Ultima	Wheat	WMaA24ULTI3	14-May	14-Nov	1.29	10.53	<0.001	6.12
Warracknabeal	Wheat	WMaA24WARR3	14-May	11-Dec	1.80	9.39	<0.001	1004.26
Rutherglen	Wheat	WEaA24RUTH3	17-Apr	15-Dec	4.99	5.67	<0.001	473.12
Streatham	Wheat	WEaA24STRE3	15-May	18-Dec	3.21	7.52	<0.001	15.92
Streatham	Wheat	WLoA24STRE3	12-Apr	19-Dec	2.15	14.04	<0.001	1033.17
Hopetoun	Barley	BMaA24HOPE3	30-May	22-Nov	3.77	5.06	<0.001	227.26
Ultima	Barley	BMaA24ULTI3	14-May	14-Nov	2.01	7.98	<0.001	5.97
Streatham	Barley	BLoA24STRE3	16-May	11-Dec	4.58	5.96	<0.001	32.33
Hopetoun	Canola	CLGA24HOPE3	30-May	29-Oct	2.07	12.26	<0.001	4.30
Hopetoun	Canola	CLIA24HOPE3	30-May	29-Oct	1.54	16.82	0.23	1.41
Hopetoun	Canola	CLTA24HOPE3	30-May	29-Oct	1.32	18.66	0.15	1.46
Rainbow	Chickpea	DMDA24RAIN3	30-May	4-Dec	0.31	20.34	0.01	3.29
Rainbow	Chickpea	DMKA24RAIN3	30-May	4-Dec	0.29	22.20	<0.001	5.23
Kaniva	Faba Bean	FMaA24KANI3	30-May	26-Nov	3.34	9.13	0.002	33.55
Ultima	Field Pea	PMaA24ULTI3	14-May	20-Nov	0.30	16.76	<0.001	9.63
Kaniva	Field Pea	PMaA24KANI3	30-May	26-Nov	2.91	8.35	<0.001	85.49
Rainbow	Lentil	QMIA24RAIN3	30-May	18-Nov	0.17	26.56	<0.001	44.66
Ultima	Lentil	QMIA24ULTI3	14-May	20-Nov	0.33	19.23	0.002	8.45
Walpeup	Lupin	LMNA24WALP3	16-May	7-Nov	0.50	23.32	0.17	17.78
Telopea Downs	Lupin	LMNA24TELO3	30-May	12-Dec	0.69	20.48	<0.001	66.36

Values listed in red are outside the acceptable range: P value ≥ 0.2 and F value ≤ 1.0 .

2024 quarantine report Victorian wheat.

Table 2: Main season wheat trial yield data

Region	Mallee		Mallee		Wimmera	
Locality	Hopetoun		Ultima		Warracknabeal	
Trial ID	WMAA24HOPE3		WMAA24ULTI3		WMAA24WARR3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean	tonnes/ha	% site mean
Ascot	2.40	105	1.30	100	1.58	88
Ballista	2.56	112	1.48	114	1.94	108
Beckom	2.22	97	1.36	105	1.66	93
Boa	-	-	-	-	1.10	61
Boree	2.65	115	1.56	121	2.01	112
Brumby	2.65	116	1.51	117	2.06	114
Calibre	2.30	100	1.51	117	1.67	93
Catapult	2.50	109	1.39	108	2.00	111
Chief CL Plus	2.06	90	1.05	82	1.95	108
Coota	-	-	-	-	1.75	97
Cutlass	2.61	114	1.39	107	2.03	113
Dozer CL Plus	2.30	100	1.23	95	2.03	113
EG Jet	-	-	-	-	1.29	72
EG Titanium	2.51	110	1.59	123	1.70	94
Genie	2.48	108	1.23	95	2.82	157
Hammer CL Plus	2.67	117	1.36	105	1.85	103
Ironbark	-	-	-	-	1.45	81
Kingston	2.20	96	0.81	63	1.27	71
LRPB Anvil CL Plus	1.90	83	1.11	86	1.08	60
LRPB Dual	2.01	88	0.85	66	2.14	119
LRPB Major	2.78	121	1.54	119	2.68	149
LRPB Matador	2.16	94	1.38	107	2.34	130
LRPB Scout	2.11	92	1.12	87	1.80	100
LRPB Trojan	-	-	-	-	1.99	111
Mowhawk	-	-	-	-	2.34	130
Razor CL Plus	1.64	72	0.93	72	0.86	48
Reilly	2.05	89	1.21	94	1.77	99
RGT Ponsford	2.53	110	1.49	115	1.93	107
RockStar	2.54	111	1.39	107	1.79	100
Scepter	2.15	94	1.32	102	1.69	94

Table 2: Main season wheat trial yield data

Region	Mallee		Mallee		Wimmera	
Locality	Hopetoun		Ultima		Warracknabeal	
Trial ID	WMAA24HOPE3		WMAA24ULTI3		WMAA24WARR3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean	tonnes/ha	% site mean
Sheriff CL Plus	2.29	100	1.16	90	2.19	122
Shotgun	2.14	93	1.37	106	1.65	92
Soaker	2.24	98	1.24	96	1.79	100
Sunblade CL Plus	2.19	95	1.43	110	1.50	83
Sunmaster	2.32	101	1.48	115	1.95	108
Tomahawk CL Plus	2.11	92	1.44	112	1.60	89
Valiant CL Plus	-	-	-	-	2.05	114
Vixen	2.10	92	1.21	93	1.37	76
Yitpi	2.60	113	1.18	92	2.09	116
Site mean (t/ha)	2.29	100	1.29	100	1.80	100
CV (%)	8.63		10.53		9.39	
Probability	<0.001		<0.001		<0.001	
LSD (t/ha)	0.32		0.23		0.29	

Sowing date	30-May-2024	14-May-2024	14-May-2024
--------------------	-------------	-------------	-------------

Trial comments	<p>WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.</p>	<p>WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.</p>	<p>WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.</p>
-----------------------	--	--	--

Table 3: Early season wheat trial yield data.

Region	North East		South West	
Locality	Rutherglen		Streatham	
Trial ID	WEaA24RUTH3		WEaA24STRE3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
Ascot	4.46	89	3.30	103
Avoca	5.92	119	2.84	89
Beckom	4.69	94	2.76	86
BigRed	5.40	108	3.15	98
Brighton	5.65	113	3.04	95
Brumby	4.73	95	3.90	122
Catapult	4.88	98	3.75	117
Coolah	4.08	82	-	-
Coota	4.94	99	3.65	114
Cutlass	4.59	92	3.14	98
Denison	5.36	107	4.36	136
DS Bennett	-	-	3.55	111
DS Pascal	4.91	98	3.05	95
EG Jet	-	-	3.23	101
EG Titanium	-	-	3.04	95
EGA Gregory	3.93	79	-	-
EGA Wedgetail	5.01	100	2.35	73
Genie	5.29	106	3.95	123
Illabo	5.03	101	2.75	86
Leverage	4.99	100	-	-
Longford	-	-	2.79	87
Longsword	4.87	98	2.13	66
LRPB Beaufort	5.65	113	3.19	100
LRPB Kittyhawk	5.24	105	-	-
LRPB Major	4.99	100	3.94	123
LRPB Raider	4.81	96	-	-
LRPB Scotch	4.94	99	-	-
LRPB Trojan	4.42	89	3.40	106
Mowhawk	5.30	106	3.64	113
RGT Accroc	4.79	96	3.11	97
RGT Cesario	4.78	96	2.91	91
RGT Waugh	4.78	96	2.11	66

Table 3: Early season wheat trial yield data.

Region	North East		South West	
Locality	Rutherglen		Streatham	
Trial ID	WEaA24RUTH3		WEaA24STRE3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
RGT Zanzibar	5.70	114	2.27	71
RockStar	4.94	99	3.96	123
Severn	5.10	102	3.08	96
Sheriff CL Plus	3.89	78	3.51	109
Stockade	4.97	100	2.44	76
Sundancer	4.93	99	-	-
Sunflex	4.96	99	2.21	69
Triple 2	6.13	123	2.94	92
Valiant CL Plus	5.05	101	3.24	101
Wallaroo	5.43	109	3.69	115
Willaura	5.78	116	3.34	104
Site mean (t/ha)	4.99	100	3.21	100
CV (%)	5.67		7.52	
Probability	<0.001		<0.001	
LSD (t/ha)	0.48		0.40	
Sowing date	17-Apr-2024		15-May-2024	

Trial comments	WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.	WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.
-----------------------	---	---

Table 4: Long season wheat trial yield data.

Region	South West	
Locality	Streatham	
Trial ID	WLoA24STRE3	
Variety name	tonnes/ha	% site mean
Anapurna	3.60	167
BigRed	3.49	162
Brighton	1.92	89
DS Bennett	3.73	174
EG Jet	1.01	47
EGA Wedgetail	1.09	51
Illabo	0.77	36
Longford	3.40	158
LRPB Beaufort	0.63	30
LRPB Kittyhawk	1.36	63
Manning	2.20	102
Naparoo	1.71	79
RGT Accroc	3.44	160
RGT Cesario	3.26	152
RGT Waugh	2.98	139
RGT Zanzibar	1.28	60
Severn	1.14	53
Stockade	1.48	69
Triple 2	2.06	96
Valiant CL Plus	1.59	74
Willaura	1.69	79
Site mean (t/ha)	2.15	100
CV (%)	14.04	
Probability	<0.001	
LSD (t/ha)	0.52	

Sowing date	12-Apr-2024
--------------------	-------------

Trial comments

WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.

DO NOT REPRODUCE, REPLICATE OR COPY

2024 quarantine report Victorian barley.

Table 5: Barley main season trial yield data.				
Region	Mallee		Mallee	
Locality	Hopetoun		Ultima	
Trial ID	BMAA24HOPE3		BMAA24ULTI3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
Alestar	3.50	93	1.94	96
Beast	3.87	103	2.16	107
Bigfoot CL	3.60	96	1.98	98
Buff	3.87	103	2.01	100
Combat	4.32	115	2.57	128
Commodus CL	3.56	94	2.22	110
Compass	3.61	96	2.06	102
Cyclops	3.88	103	1.94	96
Fathom	3.79	101	2.25	112
La Trobe	3.63	96	1.92	95
Laperouse	3.72	99	2.03	101
Leabrook	3.98	106	2.29	114
Maximus CL	3.58	95	1.89	94
Minotaur	4.06	108	1.91	95
Neo CL	4.19	111	2.34	117
PegasusAX	3.78	100	2.10	105
RGT Planet	4.24	113	2.10	104
Rosalind	3.56	94	1.86	92
Scope CL	3.51	93	1.58	78
Spartacus CL	3.42	91	1.78	89

Table 5: Barley main season trial yield data.

Region	Mallee		Mallee	
Locality	Hopetoun		Ultima	
Trial ID	BMAA24HOPE3		BMAA24ULTI3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
Spinnaker	4.01	106	1.99	99
Titan AX	4.16	110	2.12	106
Yeti	3.43	91	1.97	98
Zena CL	3.90	103	2.20	110
Site mean (t/ha)	3.77	100	2.01	100
CV (%)	5.06		7.98	
Probability	<0.001		<0.001	
LSD (t/ha)	0.31		0.28	
Sowing date	30-May-2024		14-May-2024	
Trial comments	WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.		WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.	

Table 6: Barley long season trial yield data.

Region	South West	
Locality	Streatham	
Trial ID	BLoA24STRE3	
Variety name	tonnes/ha	% site mean
Alestar	4.47	98
Bottler	4.50	98
Cyclops	3.76	82
Fandaga	5.28	115
Kiwi	4.91	107
Laperouse	4.44	97
Leabrook	4.49	98
Maximus CL	2.99	65
Minotaur	5.41	118
Neo CL	5.84	128
Newton	3.13	68
PegasusAX	3.41	74
RGT Atlantis	5.03	110
RGT Planet	5.27	115
Rosalind	2.47	54
Spartacus CL	2.65	58
Spinnaker	4.25	93
Urambie	4.81	105
Westminster	4.87	106
Zena CL	4.83	106
Site mean (t/ha)	4.58	100
CV (%)	5.96	
Probability	<0.001	
LSD (t/ha)	0.46	
Sowing date	16-May-2024	
Trial comments	WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.	

2024 quarantine report Victorian canola.

Table 7: Low-medium rainfall glyphosate tolerant trial yield data.

Region	Mallee	
Locality	Hopetoun	
Trial ID	CLGA24HOPE3	
Variety name	tonnes/ha	% site mean
DG Buller G	2.00	97
Hyola Regiment XC	1.87	91
InVigor LR 3540P	2.20	106
InVigor LR 4540P	2.44	118
InVigor R 4520P	2.59	125
Nuseed Emu TF	2.35	113
Nuseed Hunter TF	1.64	79
Nuseed Raptor TF	1.86	90
Pioneer 44Y27 (RR)	1.89	91
Pioneer PY424GC	2.17	105
Pioneer PY428R	1.74	84
Site mean (t/ha)	2.07	100
CV (%)	12.26	
Probability	<0.001	
LSD (t/ha)	0.41	
Sowing date	30-May-2024	

Trial comments

WARNING: Trial is not released due to excessive bird damage and pod shattering, affecting varieties differently. Trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.

Table 8: Low-medium rainfall imidazolinone tolerant trial yield data.

Region	Mallee	
Locality	Hopetoun	
Trial ID	CLIA24HOPE3	
Variety name	tonnes/ha	% site mean
Hyola Solstice CL	1.55	101
Nuseed Ceres IMI	1.53	99
Pioneer 43Y92 (CL)	1.31	85
Pioneer 44Y94 CL	1.61	105
Pioneer PY327C	1.68	109
Pioneer PY421C	1.76	114
Site mean (t/ha)	1.54	100
CV (%)	16.82	
Probability	0.23	
LSD (t/ha)	0.47	
Sowing date	30-May-2024	
Trial comments	WARNING: Trial is not released due to excessive bird damage and pod shattering, affecting varieties differently. Trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.	

Table 9: Low-medium rainfall triazine tolerant trial yield data.

Region	Mallee	
Locality	Hopetoun	
Trial ID	CLTA24HOPE3	
Variety name	tonnes/ha	% site mean
ATR Bluefin	1.41	106
ATR Bonito	1.21	91
ATR Swordfish	0.97	73
Bandit TT	1.20	91
DG Avon TT	1.13	86
DG BIDGEE TT	1.09	83
DG Torrens TT	1.21	91
Hyola Blazer TT	1.49	113
Hyola Defender CT	1.08	82
HyTTec Trident	1.68	127
HyTTec Trophy	1.50	113
HyTTec Velocity	1.25	95
InVigor LT 4530P	1.48	112
InVigor T 4511	1.33	100
Nuseed Griffon TTI	1.42	107
Renegade TT	1.09	82
RGT Capacity TT	1.26	95
SF Spark TT	1.48	112
Site mean (t/ha)	1.32	100
CV (%)	18.66	
Probability	0.15	
LSD (t/ha)	0.45	
Sowing date	30-May-2024	

Trial comments

WARNING: Trial is not released due to excessive bird damage and pod shattering, affecting varieties differently. Trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.

2024 quarantine report Victorian chickpea.

Table 10: Desi chickpea trial yield data.

Region	Mallee	
Locality	Rainbow	
Trial ID	DMDA24RAIN3	
Variety name	tonnes/ha	% site mean
CBA Captain	0.35	114
Neelam	0.29	96
PBA Maiden	0.37	120
PBA Slasher	0.36	116
PBA Striker	0.36	119
Site mean (t/ha)	0.31	100
CV (%)	20.34	
Probability	0.01	
LSD (t/ha)	0.10	
Sowing date	30-May-2024	
Trial comments	WARNING: This trial yielded less than 0.3 t/ha. These trial results should not be used to make variety selection decisions.	

Table 11: Kabuli chickpea trial yield data.

Region	Mallee	
Locality	Rainbow	
Trial ID	DMKA24RAIN3	
Variety name	tonnes/ha	% site mean
Almaz	0.35	124
Genesis 090	0.38	133
Genesis Kalkee	0.30	103
PBA Magnus	0.15	53
PBA Monarch	0.28	99
PBA Royal	0.37	129
Site mean (t/ha)	0.29	100
CV (%)	22.20	
Probability	<0.001	
LSD (t/ha)	0.10	
Sowing date	30-May-2024	
Trial comments	WARNING: This trial yielded less than 0.3 t/ha. These trial results should not be used to make variety selection decisions.	

2024 quarantine report Victorian faba bean.

Table 12: Faba bean trial yield data.

Region	Wimmera	
Locality	Kaniva	
Trial ID	FMaA24KANI3	
Variety name	tonnes/ha	% site mean
Farah	3.09	93
Fiesta VF	3.31	99
Nura	3.24	97
PBA Amberley	3.21	96
PBA Bendoc	3.49	105
PBA Marne	3.68	110
PBA Rana	3.14	94
PBA Samira	3.72	111
PBA Zahra	3.04	91
Site mean (t/ha)	3.34	100
CV (%)	9.13	
Probability	0.002	
LSD (t/ha)	0.49	
Sowing date	30-May-2024	

Trial comments

WARNING: Trial is not released due to unacceptable weed levels. The trial results would be unreliable and not a true reflection of variety performance. These trial results should not be used to make variety selection decisions.

2024 quarantine report Victorian field pea.

Table 13: Field pea trial yield data.

Region	Mallee		Wimmera	
Locality	Ultima		Kaniva	
Trial ID	PMaA24ULTI3		PMaA24KANI3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
APB Bondi	0.30	102	3.37	116
GIA Kastar	0.26	87	2.67	92
GIA Ourstar	0.24	82	2.59	89
Kaspa	0.34	114	3.11	107
PBA Butler	0.16	55	3.14	108
PBA Gunyah	0.29	99	2.80	96
PBA Noosa	0.45	151	3.15	108
PBA Oura	0.23	76	2.83	97
PBA Pearl	0.17	57	2.98	102
PBA Percy	0.45	150	2.32	80
PBA Taylor	0.34	113	3.49	120
PBA Wharton	0.26	87	2.91	100
Site mean (t/ha)	0.30	100	2.91	100
CV (%)	16.76		8.35	
Probability	<0.001		<0.001	
LSD (t/ha)	0.08		0.41	
Sowing date	14-May-2024		30-May-2024	

Trial comments	<p>WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.</p>	<p>WARNING: Trial is not released due to unacceptable weed levels. The trial results would be unreliable and not a true reflection of variety performance. These trial results should not be used to make variety selection decisions.</p>
-----------------------	--	--

2024 quarantine report Victorian lentil.

Table 14: Lentil trial yield data.

Region	Mallee		Mallee	
Locality	Rainbow		Ultima	
Trial ID	QMIA24RAIN3		QMIA24ULTI3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
ALB Terrier	0.16	94	0.32	98
GIA Leader	0.15	91	0.23	72
GIA Lightning	0.21	122	0.43	133
GIA Metro	0.16	96	0.20	60
GIA Sire	0.03	19	0.14	42
GIA Thunder	0.19	114	0.41	127
PBA Hallmark XT	0.16	93	0.31	96
PBA HighlandXT	0.17	98	0.26	80
PBA Hurricane XT	0.17	100	0.30	92
PBA Kelpie XT	0.16	96	0.30	92
Site mean (t/ha)	0.17	100	0.33	100
CV (%)	26.56		19.23	
Probability	<0.001		0.002	
LSD (t/ha)	0.07		0.10	
Sowing date	30-May-2024		14-May-2024	
Trial comments	WARNING: This trial yielded less than 0.3 t/ha. These trial results should not be used to make variety selection decisions.		WARNING: This trial displayed a degree of variability as indicated by the high CV of 19.23% and low yield .033t/ha indicating high variability across the trial. These trial results should not be used to make variety selection decisions.	

2024 quarantine report Victorian lupin.

Table 15: Lupin trial yield data.

Region	Mallee		Wimmera	
Locality	Walpeup		Telopea Downs	
Trial ID	LMNA24WALP3		LMNA24TELO3	
Variety name	tonnes/ha	% site mean	tonnes/ha	% site mean
Coyote	0.52	104	0.77	112
Gidgee	0.57	113	0.51	74
Jenabillup	0.41	82	0.39	58
Lawler	0.47	93	0.44	65
Mandelup	0.53	105	0.88	129
PBA Barlock	0.54	108	0.76	110
PBA Bateman	0.35	69	0.71	104
PBA Gunyidi	0.48	95	0.88	129
PBA Jurien	0.55	109	0.75	109
Rosemont	0.48	95	0.61	89
Wonga	0.51	101	0.89	130
Site mean (t/ha)	0.50	100	0.69	100
CV (%)	23.32		20.48	
Probability	0.17		<0.001	
LSD (t/ha)	0.19		0.24	
Sowing date	16-May-2024		30-May-2024	

Trial comments	<p>WARNING: THIS TRIAL WAS SEVERELY AFFECTED BY FROST and is not released. Frost will affect varieties differently and trial results will be unreliable and not a true reflection of variety performance or ranking. These trial results should not be used to make variety selection decisions.</p>	<p>WARNING: Trial is not released due to unacceptable within plot and trial variability. The trial results would be unreliable and not a true reflection of variety performance. These trial results should not be used to make variety selection decisions.</p>
-----------------------	--	--